

# ENGTX550 Ti DC/DI/1GD5

# Enjoy 20% cooler with DirectCU Thermal Technology!

#### **ASUS Exclusive Innovations**

 ASUS Exclusive DirectCU Thermal Solution: Two 8mm flattened copper heat-pipes contact GPU directly for up to 20% COOLER.



 Super Alloy Power provides 15% performance increase, 2.5 times longer product lifespan and 35°C cooler operation.



## I/O Specifications

- Native HDMI
- DVI-I Output
- D-Sub Output





#### **ASUS Features**

## **Graphics GPU Features**



## Gigantic 1GB **GDDR5 Memory:**

For the best gaming experience & resolution.



#### ● 910 MHz **GPU Overclocked**



DVIDIA

GEFORCE

#### • GeForce GTX550 Ti

## • GeForce CUDA **Support:**

Unlocks the power of GPU's processor cores to accelerate the most demanding system tasks



#### • NVIDIA PhysX ready:

Dynamic visual effects like blazing explosions, reactive debris, realistic water, and lifelike characters.



Multi-GPU technology for



SamerOSD

#### ASUS Gamer OSD:

overclocking tool.

• ASUS Smart Doctor:

Your intelligent hardware

protection and powerful

Real-time overclocking, benchmarking and video capturing in any PC game!



#### SLI Support:

extreme performance



#### • ASUS Splendid:

Watching movies on PC is as good as on Top-of-the-line consumer television



### NVIDIA 3D Vision™ Ready:

The only full 1080p HD solution for 3D games, 3D movies and 3D pictures



#### Microsoft® DirectX® 11 Support:

Bring new levels of visual realism to gaming on the PC and get top-notch performance



### Microsoft® Windows® 7 **Support:**

Enable PC users to enjoy an advanced computing experience and to do more with their PC



# **Hardware Specification**

Model	ENGTX550 Ti DC/DI/1GD5
NDA Date	6:00 a.m. Mar. 15, 2011 PDT  (Los Angeles daylight saving time)  9:00 p.m. Mar. 15, 2011 CST  (Taipei time)
Graphics Engine	GeForce®GTX550 Ti
Bus Standard	PCI Express® 2.0
Video Memory	1GB GDDR5
Engine Clock	910 MHz overclock
CUDA Cores	192
Shader Clock	1820 MHz
Memory Clock	4104 MHz (1026MHz GDDR5)
Memory Interface	192 bit
DVI Max. Resolution	2560 * 1600
DSub Max. Resolution	2048 * 1536
D-sub Output	YES X1 (Native)
DVI Output	YES X1 (Native DVI-I)
HDMI Output	YES X1 (Native)
HDCP compliant	YES
Accessory bundled	1 x Power Cable
Software Bundled	ASUS Utilities & Driver  *Please follow the driver setup instruction to download SmartDoctor application on ASUS website prior to use
Dimension	The card size is 9.54" x 5.5" x 1.54"

- Specifications are subject to change without notice.
- PCB color and bundled software versions are change without notice.
- Brand and product names mentioned are trademarks of their respective company.